

СЕРВИЗНО ОБОРУДВАНЕ КОСЕР, СЕДМО ИЗДАНИЕ



RATENTED PATENTED

SHIFT TA500

Quad l

Meter



- while in operation.
- · Composite casing with soft grip to help reduce vibration and chill.
- · Lightweight and durable
- Handle exhaust with built-in silencer to reduce noise level and limits circulation of brake dust on wheel applications.
- · Suitable for heavy-duty use in professional garages.

549.00 лв **SA6006**

АВТОМОБИЛЕН АНАЛИЗАТОР

- · Automotive analyser combining a multimeter, scope, starter test and EOBD code reader with extended
- · Easy access to EOBD diagnostic codes, establishing cause of illuminated engine check light (MIL).
- Built-in data library with lookup functions
- CAN Enabled tool retrieves generic P0, P2 and P3 and U0 codes for engine emissions and manufacturer specific P1, P3 and U1 codes
- Reads and displays live ECU/ PCM data stream, plots functions graphically and stores freeze frame
- Supports new extended sensor list (SAE J1979 2007), trouble-shooter code tips and repair information to identify root cause of the DTC.
- Auto-ranging diagnostic multimeter with volts, current and resistance.
- Scope function to visually test component signals, with the added benefit of min./max. volts, frequency and duty cycle displayed



TA500

595.00 лв





бързо зарядно за акумулатор 6/12V,12 амп. Шумахер

- Output: 6/12V 12A.
- Battery Range: 5-140Ah.
- · Automatic microprocessor controlled battery charger/maintainer.
- · Speed Charge technology actively monitors charge acceptance and constantly modifies charge output.
- · Charges up to 3 times faster than conventional battery chargers without damaging the battery.
- · Heavy-duty sturdy case, easy-to-read LED status lights and wipe clean touch pad controls.
- · Features LCD progress display screen.
- · Battery pre-sets include conventional, AGM/Gel, leisure and stop/start batteries.
- · Operator can override the standard charge rate and choose a soft-start programme for very cold or small
- · De-sulphating mode enables deeply
- discharged batteries to be charged. · Fully automatic float mode ensures that the battery is kept ready to use,
- for extended periods of time. · Automatic voltage detection of 6V or 12V battery.
- Reverse polarity protection and automatic shut-off are included as standard.



ЖЕЛЕЗЕН ЛОСТ 610ММ (КОЗИ КРАК)

МАГНИТЕН ПРИХВАЩАЧ, 1кг капацитет

ОГЛЕДАЛЦЕ ЗА ОГЛЕД НА КОЛАТА, 360 ГРАДУСА НА

- · Manufactured from drop-forged, heat treated steel.
- Includes chisel end and swan neck
- · Ideal for opening packing cases, removing nails and taking apart wooden constructions.



Chromed metal body with pocket clip for safe storage.

17.00 лв

- 1kg Pick-up capacity from Ø10mm magnet.
- Minimum/Maximum Length: 130/650mm.



AK652

· Chromed metal body with pocket-clip for safe storage

ТРЕСЧОТКА С ВЪРТЯЩА СЕ

- · Ø40mm inspection mirror mounted on ball joint permitting full 360° rotation.
- Minimum/Maximum Length: 125/690mm.

AK2061

ДРЪЖКА, 3/8

17.00 лв

ТРЕСЧОТКА С ВЪРТЯЩА СЕ

ush-Through Reve



AK651



- Dual action push-through reverse ratchet wrench.
- Twisting the handle backwards and forwards rotates the drive in one direction allowing for use where space is at a premium.
- Can also be used as a regular ratchet.

AK66389

ДРЪЖКА 1/2 Push-Through Revers



- Twisting the handle backwards and forwards rotates the drive in one direction allowing for use where space is at a premium.
- Can also be used as a regular ratchet.

AK66390

БИТОВЕ 56БР

3/8 И 1/2

18.00 лв

AK6639

75.00 лв

ТРЕСЧОТКА С ВЛОЖКИ И АКСЕСОАРИ (ГЕДОРЕ), 221-ЧАСТИ 1/2, 1/4, 3/8

• Dual action push-through reverse ratchet wrench.

· Fitted with a soft grip handle for comfort and control

· Can also be used as a regular ratchet.

· Twisting the handle backwards and forwards rotates the drive

in one direction allowing for use where space is at a premium.

Covers sizes from 4 to 32mm.

Includes 48-tooth gear-to-gear comfort grip ratchet handles, spark plug sockets, extension bars, female TRX-Star* sockets. socket bits, combination spanners, bits, hex keys and accessories



AK8958

БИТОВЕ, 74

590.00 лв

75.00 лв БИТОВЕ, 42 БРОЯ, 3/8, 1/2



Contents: Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors; 3/8"Sq x 10mm Hex 1/2"Sq x 10mm Hex

микро тресчотка, 1/4,

НЕРЪЖДАЕМА СТОМАНА.

AK219

49.00 лв

3/8"s 1/2' Contents: Ribe Bits; M5, M6, M7, M8, M10, M12, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm),

Drive Adaptors; 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex.

AK21956

67.00 лв

KAPE 1/2

ЧАСТИ, 1/2, 3/8 · Contents: Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1

each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H,

T60H (1 each 30 & 75mm), Drive Adaptors; 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex.

AK21974

89.00 лв

- Manufactured from high quality stainless steel with a fully polished satin finish.
- Length: 85mm.
- 72-Tooth, ultra-smooth ratchet with slide reverse.
- Additional drive at the base of handle.
- Ideal for limited access applications

AK6962

34.00 лв



- · Drop-forged steel universal joint.
- · Suitable for use on all types of air impact tool.
- Chrome Molybdenum steel with phosphate finish for added corrosion resistance
- Spring-ball socket retainer and drilled head to accept retaining pin.

28.00 лв AK5500



- Hardened and tempered Chrome Vanadium extra-long steel shafts with a satin polished finish.
- · Feature hexagonal bolsters for use with a wrench.
- Shot blasted and blackened tips.
- · Contents: Slotted; 8 x 450mm, Phillips; #2 x 450, #3 x 450mm

КЛЕЩИ, 275ММ ПРАВИ

47.00 лв **AK4935**



- Ø150mm Stainless steel bowl.
- High powered Ø80mm magnet with non-marking cover.
- · Ideal for retaining screws, nuts and bolts during dismantling operations.
- Attach to any ferrous metal surface

КЛЕЩИ, 275ММ, 90 ГРАДУСА

14.00 лв **AK231**

КОМПЛЕКТ БИТОВЕ 113 БРОЯ iegen Manufactured from hardened and tempered high quality Chrome Vanadium steel. • Popular range of 25mm and 90mm hits for the professional user

54.00 лв S0934

КЛЕЩИ, 275ММ, 45 ГРАДУСА

- · Drop-forged, heat treated steel. · Fully polished.
- Insulated handles

КЛЕЩИ 275ММ

egen

15.00 лв S0434

Fully polished.Insulated handles S0435

· Drop-forged and heat treated steel.

15.00 лв

- · Drop-forged and heat treated steel.

15.00 лв



- · Drop-forged and heat treated steel
- · Fully polished.

15.00 лв S0437

КОМПЛЕКТ ГАЕЧНИ КЛЮЧОВЕ 8 БРОЯ, 6-22ММ



- Drop-forged steel jaws.
- Bright nickel plate finish.
- Deeply serrated, adjustable grip jaws with lever release

S0463

· Fully polished.

- Insulated handles


S0436




- · Hardened tips are shot blasted and magnetized.
- · High impact resistant classic style handles

S0520

СТЕНА ЗА ЗАКАЧАНЕ НА **ИСТРУМЕНТИ С 18 КУКИЧКИ**







- · Wall-mounting quality composite pegboard.
- · Supplied with an 18pc assorted hook set.
- Additional hook assortment available, Model No. S0766.

mirror finish for added corrosion resistance Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15,

Hardened, tempered and chrome plated with fully polished

16 x 17, 18 x 19, 20 x 22mm. 39.00 лв

S0848

Wall or toolbox mounting magnetic rack.

МАГНИТНА РЕЛСА ЗА

ИНСТРУМЕНТИ 600ММ

Size: 600 x 25mm.

Suitable for retaining frequently used steel tools such as screwdrivers, spanners and pliers.

· Supplied with fixing screws.

24.00 лв S0703

S0765

СГЪВАЕМ ПОВДИГАЧ ЗА ДВИГАТЕЛИ, 1000КГ



повдигач на скоростни КУТИИ ,500KГ. YANKEE



- · Foot pedal operation keeps hands free.
- Spring loaded dead man's safety release control reduces the risk of inadvertent lowering.
- · Highly manoeuvrable on castors.



SC10

630.00 лв

СТОЙКА ЗА ДВИГАТЕЛИ, 550КГ

- 550kg Capacity.
- Accepts wide variety of engines and transmissions.
- · Head swivels through
- 360°
- · Swivel castors for easy man oeuv rability.
- Fully adjustable mounting



ES550

249.00 лв

489.00 лв 500ETJ

ХИДРАВЛИЧЕН КРИК 3-TOHA 145/490MM

- · Min./Max. Saddle Height: 133/515mm.
- · Single-piece hydraulic unit with heavy chassis design.
- Integral American cog-type release mechanism and long two-piece handle.
- · Ideal for loaded vans up to 3.5tonne GVW.





ХИДРАВЛИЧЕН КРИК 2-ТОНА

- · Min./Max. Saddle Height: 135/340mm.
- · Chassis Length: 450mm. · Steel chassis with welded
- · Fitted with overload valve and finger cover



1050CX

105.00 лв

КОМПЛЕКТ МОНТАЖНИ подпори, по три тона всяка

- Min./Max. Height: 280/420mm.
- · 6tonne Capacity per pair.
- Ratchet type with cast iron support posts.
- Tough steel plate welded bases.





79.00 лв VS2003

ГРЕДА ЗА ДВИГАТЕЛ, 300 KF



- 300kg Capacity.
- Min./Max. Width: 585/1580mm.
- Designed to support and accurately position engines during maintenance operations.
- Ideal for supporting the engine whilst replacing anti-vibration mountings and certain body panels
- Aids the removal of gearboxes and transmissions.

95.00 лв **ES300**



- Polyethylene with UV stabiliser.
- Heavy wall construction stays rigid, even with hot oil.
- Large handles and enclosed pouring spout make easy work of returning oil/fluid to recycling container.

DRP03

35.00 лв

ЗАРЯДНО ЗА АКУМУЛАТОР,

6/12V, 6 АМП 230V



- · Robust battery charger suitable for home and light workshop use.
- 6 & 12V Outputs
- · LEDs indicate the level of battery charge.
- · Intelligent circuit control and protection.
- · 1.3mtr Cable with insulated clamps

S0549

89.00 лв

ПЯСЪКОСТРУЙКА

- · Two side doors provide easy access
- for bulkier items. Ø64mm Dust
- extraction port. · Suitable for proprietary brands of glass beads, silicon carbide, aluminium oxide and silica sand
- · Overall Size (W x D x H):

only. 960 x 720 x 1500mm. 1,895.00 лв **SB974**

ТВЪРДА ВРЪЗКА(ТЕГЛИЧ), 3 ТОНА КАПАЦИТЕТ



- Rolling Load Capacity: 3000kg.
- Hook mechanism allows for mounting pole between vehicles where towing eyes may be mixed.
- · Maximum Length: 1.6mtr.

TPK353

144.00 лв

ШПРИЦ ПОМПА ЗА МАСЛО ОБЕМ: **500МЛ**,



- Painted cast steel tube with T-Bar type plunger.
- · Particularly useful for removal of oil from gearboxes and differentials
- · Supplied with 300mm flexible suction hose.

AK46

23.00 лв

ЗАРЯДНО ЗА АКУМУЛАТОР,

6/12V 8 AMP. 230V



- · 6 & 12V Outputs with trickle or boost charge option.
- LEDs indicate the level of battery charge
- Intelligent circuit control and protection.
- 1.3mtr Cable with insulated clamps

S0550

102.00 лв

АВАРИЙНО ЗАХРАНВАНЕ, 12 V,1000







 Starts up to 30 cars before recharging. depending on the length of crank time needed to start each one.

· Display via 5 LED indicators

Use as a 12V power supply too includes a lighter type socket



RS1

395.00 лв



- · Made from high density polyethylene with UV stabilisers.
- · Large enough for single oil change.
- · Includes oil pouring lip, hanging hole and back-shelf with protruding stub for oil filters

DRP01

16.00 лв

ПИСТОЛЕТ С КОМПРЕСОР ЗА БОЯДИСВАНЕ 600W-230V



Utilises 600W electric motor with high performance

turbine to deliver continuous volumes of air.

- · Spray gun uses composite body, which has low affinity for paint, enabling quick and easy cleaning.
- · Gun includes air and paint controls for fine adjustment of spray pattern

HVLP2000

195.00 лв

СТАРТОВА КОЛИЧКА 60/560А 12/24 230V



- Max. Charge: 90Amps (60Amps EN).
- · Max. Start: 560Amps (350Amps EN).
- 20Amps Max. Input (start).
- Battery Range: 60-1000Ah.
- Polarity protected.
- Heavy-duty starter/charger for professional garages, workshops and bodyshops
- · Caters for all requirements from cars right up to commercial vehicles.
- Large wheels for easy mobility and features analogue ammeter and switchable charge circuitry for accurate charge

START560

СЕКЦИЯ С 44 **ЧЕКМЕДЖЕТА**

- · Tough and durable carcass, contains 41 impact resistant composite drawers.
- · Ideal for storing a mixture of small to large fixings and components.
- Fitted with four fixing points for wall mounting or can be bench mounted (free standing).
- Overall Size (W x D x H). 300 x 140 x 485mm.

APDC41

69.00 лв



ПНЕВМАТИЧЕН ГАЙКОВЕРТ 1' МАХ. 1632 NM

Composite

- · Working/Maximum Torque: 1100lb.ft (1496Nm)/1200lb.ft (1632Nm).
- Ultimate Torque: 1500lb.ft(2040Nm).
- · Lightweight handling and heavyweight power - 1/3 the weight of traditional style 1"Sq drive air impact wrenches.
- · Features twist control at back of tool for simple choice of speed and direction.
- Composite housing with soft grip and side handle helps reduce
- vibration and chill. · Handle exhaust reduces noise level.

SA6005



- · Powerful impact wrench with twin
- hammer mechanism for increased torque. Air motor features quality bearings, ductile steel end plates
- and carefully finished components to ensure smooth running and maximum power.
- Combination forward/reverse and speed selector.

SA602



- · Working/Maximum Torque 700lb.ft(952Nm)/800lb. ft(1088Nm).
- Ultimate Torque (1292Nm)
- Composite casing with soft grip makes the tool lighter, easier to handle and helps reduce vibration and chill.
- Handle exhaust helps reduce noise level.
- Suitable for jobs that would normally require a 3/4' impact wrench

470.00 лв SA6001

ПНЕВМАТИЧЕН ГАЙКОВЕРТ 1/2, MAX. 1122 NM



- Ultimate Torque: 1000lb.ft(1360Nm).
- Suitable for jobs that would normally require a 3/4" impact wrench.
- Features twist control at back of tool for simple choice of speed and direction.
- Handle exhaust reduces noise level.



SA6002

КОЛИЧКА С 7 ЧЕКМЕДЖЕТА, С 249 ИНСТРУМЕНТА



- All heavy gauged steel construction and manufactured with steel inner walls for extra strength and durability.
- · Heavy-duty 45mm ball bearing drawer runners provide
- superior performance and carry heavier loads.
 Full height rear locking mechanism, locks full-length drawers in multiple locations.
- Added security provided by cylinder locks. Supplied with two keys.
- Rust and solvent resistant powder coat paint finish.
- · Rollcab includes four Ø125mm rubber wheels, two swivel castors with large toe locks and two fixed wheels.
- · Rollcabs feature a high polished chrome handle to enable smooth manoeuvrability Also includes a 6mm thick top mat.
- · Drawers ideally sized for fitting Sealey themed tool trays.
- · Each drawer features stainless steel drawer pulls and non-slip liners.
- AP26479T 7 Drawer Rollcab with Ball Bearing Runner Red Specification: Width x Depth x Height
- Overall Size (W x D x H): 685 x 465 x 995mm.
- Medium Drawer (x5): 533 x 398 x 60mm.
- Large Drawer (x2):533 x 398 x 167mm.
- Includes 249pc Tool Kit arranged in 12 Modular Tools Trays













1,850.00 лв


SSP55S:PA3MEP S(МАЛКИ) SSP55M: PA3MEP M(СРЕДНИ). SSP55L: PA3MEP L(ГОЛЕМИ)

- · Offers a high degree of protection against a variety of chemicals.
- More durable than standard latex gloves
- Provides excellent protection whilst being light and flexible.
- · Nitrile material, ideal for people
- Man FN4

nufactured to 455 Parts 1, 2 & 3.		Alexander of the second
Model No	Description	Special Price
SSP55S	Small	21.40 ЛВ
SSP55M	Medium	21.40 ЛВ
SSP55L	Large	21.40 ЛВ

МАСКА ЗА ЗАВАРЯВАНЕ

- · Welding helmet with infinitely adjustable shade control between 9-13.
- · Complies with BS EN 379, BS EN 175 and DIN standards.
- Fully automatic switching from light to dark on striking arc.
- · Shade is selected by a rotary knob on side of helmet.
- · Grinding function enables user to grind without removing mask.
- Suitable for MIG, TIG and arc welding



Grinding Function

SHADE 9-13 Variable



139.00 лв S01001

ПРЕДПАЗНИ ОЧИЛА С МАСКА

- · Manufactured from polycarbonate for superior durability and resistance
- · Offers full face protection with an increased range of mobility compared to a standard face protector
- · Curved face shield conforms to the shape of the face offering improved protection
- · Features a wide angle curved lens for enhanced visibility.

КЪРПИ ЗА ПОЧИСТВАНЕ НА РЪЦЕ, 3 ЛИТРА, 150 БРОЯ

- Durable, extra large wipes for removing a variety of tough substances including oil and grease.
- Moisture locked wipes means no need for water.
- Supplied in 3ltr dispensing bucket containing 150 wipes.





КРЕМ-ПАСТА ЗА РЪЦЕ 500МЛ

 Rapid response hand cleaner with micro-polymer beads for removal of oil, grease and dirt, while added moisturisers stop skin from drying out.

 Supplied in 500ml screw top tub.



SSP76

36.00 лв

SCW3

34.00 лв

SSW05

3.00 лв

LED2105EU БЕЗЖИЧНА ПРЕЗАРЕЖДАЩА CE LED ЛАМПА

- · Featuring 26 super bright LEDs, 21 used as an inspection lamp or 5 in the end for use as a directional torch.
- Two 360° swivel hanging hooks for hands-free applications allowing unit to be used horizontally or vertically.
- · Three rubber covered magnets for protection against accidental damage, two magnets on the rear of the lamp for horizontal use and one on the end for vertical use.
- · Bottom quarter of the lamp rotates 180° allowing the unit to be positioned for ease of use on any ferrous surface.
- · Replaceable shatterproof polycarbonate lens with a highly polished reflector board gives an increased spread of light.
- · Lithium-ion polymer battery (3.7V/1200mAh) for longer life, no memory effect, a much slower discharge than typical Ni-MH batteries and can operate for up to four hours on a single charge
- Supplied with mains and in-car chargers.



'ЛАМПА 360 ГРАДУСОВА С SMD ДИОДИ

- Unique and innovative 360° swivel and tilt function enables the light source to be positioned in any direction.
- Exclusive patented design owned and registered to Sealey.
- Each lamp houses 10 super bright SMD LEDs providing up to 400 lumens output with 120° spread of light, illuminating the whole work area.
- · Includes an additional high power 3W LED in the end for use as a directional torch.
- · Features two swivel hooks and three rubber covered magnets, two on the rear and one on the end, which allow hands free operation.
- · High quality 2.2Ah Lithium-ion battery for longer life, no memory effect and a much slower discharge than traditional Ni-MH batteries
- · Supplied with mains and in-car charger
- Operating Time: 3/6hrs.
- · Charging Time: 4hrs.
- · Min./Max. Length: 260/280mm



ПОКРИВАЛА ЗА СЕДАЛКИ, 2 БРОЯ

- · Set includes two re-useable front seat covers
- Manufactured from water resistant lightweight nylon.
- Ideal for protecting the vehicle's interior from dirt, grease and oil, as well as food and drink spills.
- Suitable for most cars and light commercial vehicles
- · Can be fitted to seats with or without airbags

CSC5



33.00 лв

СКОБА ЗА ВАДЕНЕ РАМЕНАТА НА ЧИСТАЧКИТЕ Heavy-duty construction

with locking feature allowing (secure fastening to the wiper arm before commencing pull.

With swivel mounted thrust bearing and tommy bar, the tool releases the most stubborn wiper arms.

Also suitable for battery terminal and alternator bearing removal.

Maximum Opening: 28mm.

Maximum Collar Size: 43mm.



VS807

44.00 лв

 Soft-faced vinvl material prevents scratching and marking of paintwork during servicing.

STAITY LOOKS STAITY LOOK

Wing cover held in place by integral magnets.

МАГНИТНО ПОКРИВАЛО

ЗА КАЛНИК, 4 ДЖОБА

- · Four pockets for holding tools while working on car.
- Nominal Size: 1065 v 600mm

VS856

96.00 лв

TOOLS NOT INCUSORS

8-15mm



- · Comparative electrolytic type tester.
- · Checks moisture content of fluid by resistance to electric current.
- · Easily calibrated using new brake fluid.
- · Audible test cycle with three LED read-out.

ТЕСТЕР ЗА АНТИФРИЗ

Just insert probe and press button for immediate result.

VS027

ИНСТРУМЕНТ ЗА ПРОВЕРКА НА НАКЛАДКИТЕ



- · Ingenious time saving tool and essential for any garage
- Measures the brake pad lining on the vehicle without removing the road wheel.
- Slim design enables the tool to locate the rear of the pad backing plate, allowing the probe to measure the distance between the underside of the backing plate and brake disc.
- Suitable for both internal and external brake pads and features a 1.5mm and calibration check marking.
- · Range: 1.5-13mm.
- Designed for brake pads that have a normal 6mm thick backing plate (Class IV, V).

VS058

59.00 лв



- · Tests ethylene glycol strength with engine hot or cold.
- · Composite body and rubber bulb for workshop durability.

AK409

9.00 лв



- American style drop tester.
- Load applied by internal switchgear no sparking!
- · Suitable for 6 and 12V batteries.
- · Applies load across cells and measures output on meter.
- · Accurate indication of battery voltage, faulty cell and short circuited cell.

BT91/7

89.00 лв

РЕФРАКТОМЕТЪР



- screenwash and antifreeze by measuring the refractive index of light passing through the mixture.
- Suitable for synthetic antifreeze mixtures including long life OAT (Organic Acid Technology) and G13.
- Temperature corrected prism ensures accuracy.
- · Evepiece with adjustable focus.
- Supplied with pipette and storage case

VS005

129.00 лв

ИНСТРУМЕНТ ЗА ПОЧИСТВАНЕ НА ПОЛЮСИТЕ НА **АКУМУЛАТОРА**



· Wire brushes remove corrosion build-up on battery posts and terminals for improved electrical contact.

AK417

10.00 лв

КОМПЛЕКТ ГАЕЧЕНИ КЛЮЧОВЕ ЗА СПИРАЧНИ ТРЪБИЧКИ



· Unique patented design enables a ratcheting action for quick and efficient work.

- Ideal for use on brake lines, air conditioning, fuel lines and injection systems.
- · Works on rounded. worn and rusted nuts.



210.00 лв VS0343

ЦИФРОВ ТЕСТЕР ЗА АКУМУЛАТОРИ И АЛТЕРНАТОРИ



Compact design digital tester suitable for professional use

- · Utilises low current draw technology to evaluate condition of SLI, VRLA, AGM and Gel batteries
- No internal battery and will test batteries with a residual charge of just 7V.

BT102

90.00 лв

ИНСТРУМЕНТ ЗА СВАЛЯНЕ ШАЙБАТА НА АЛТЕРНАТОРА,



- Allows alternator shaft to be held while the pulley retainer is removed.
- Applications: Audi, BMW, Citroen, Ford, Mercedes, Peugeot, Porsche, Renault, Skoda, Vauxhall/Opel.

SX400

ИНСТРУМЕНТ ЗА СВАЛЯНЕ ШАЙБАТА НА АЛТЕРНАТОРА, 13



- Allows alternator shaft to be held while the pulley retainer is removed.
- Applications: Alfa Romeo, Audi, BMW, Citroen, Fiat, Mercedes, Mitsubishi, Renault, Seat, Skoda, Vauxhall/Opel, VW. Volvo.

SX401

110,00 лв

ДИГИТАТЕН МУЛТИМЕТЪР С 7 ФУНКЦИИ

- Heavy-duty general purpose multimeter with clear and easy-to-read LCD display.
- Features data hold function, temperature probe and diode test facility.
- Housed in rugged rubber boot with integral stand.
- Supplied with full set of leads and probes.
- Measures: AC and DC Voltage, DC Current, Resistance, Temperature, Audible Continuity, Diode/ Transistor Verification Mode.



MM20

49.00 лв

Ħ

a

КОМПРЕСОМЕР ЗА ДИЗЕЛОВИ И БЕНЗИНОВИ ДВИГАТЕЛИ И ИНЖЕКТОРИ И ОПРЕДЕЛЯНЕ НА ГМТ

- A comprehensive kit for testing the compression and leakage on both diesel and petrol vehicles.
- Features 600psi gauge with large rubber bumper, straight and right angled quick connect fittings and an extensive range of spark/glow plug and injector adaptors.



ГРАДУСОМЕР

VSE3156

- Designed to be used with any 1/2"Sq drive breaker bar.
- Tough composite dial and rotating index line allow operator to accurately tighten fixing to manufacturer's exact specification.
- Supplied with fully adjustable reaction arm.
- Essential measuring tool for the busy workshop.

VS530



Premier

25.00 лв

ИНСТРУМЕНТ ЗА СВАЛЯНЕ ШАЙБАТА НА АЛТЕРНАТОРА 18



- Allows alternator shaft to be held while the pulley retainer is removed.
- Incorporates a complete range of combination TRX-Star*, spline and hex adaptors to fit most alternators.

SX402

175.00 лв

ПРОФЕСИОНАЛЕН МУЛТИЦЕТ 8 ФУНКЦИИ

- High precision autoranging multimeter.
- Conforms to EN 61010-1 CATIII 600V safety requirements for electrical equipment for measurement, control and laboratory use.
- Temperature measurement capability, max/data hold and auto power off function.
- Probe and lead storage and integral upright stand for use on the workbench.

TM102

129.00 лв

КОМПРЕСОМЕР ЗА БЕНЗИНОВИ ДВИГАТЕЛИ



- Compression tester fitted with Ø63mm gauge reading up to 300psi and 20kg/cm².
- Kit includes 130mm straight and angled push-on connectors, 400mm flexible extension with 10, 12, 14 and 18mm deep thread adaptors.

CT955

77.00 лв

ПОМПА ЗА ДИЗЕЛОВО ГОРИВО



- Essential for reintroduction of fuel into fuel pump following maintenance such as fitting of new diesel filter or following drainage of fuel tank.
- Must be used whenever fuel system is disturbed

VS055

35.00 лв

БУШОНИ, 100 БРОЯ



- Contents: 2A, 3A, 4A, 5A, 7.5A, 10A, 15A, 20A, 25A, 30A x 10pc.
- · Automotive MINI blade type fuse assortment.
- · Partitioned case

BCF100

16.00 лв



- · Knurled brass body with test light.
- · Probe tip is covered with protective brass screw cap.
- Tester illuminates when voltage is present.
- · Supplied with cable and alligator earth clip.

AK4008

12.00 лв

СКОБА ЗА ДЕМОНТИРАНЕ НА ЗЪБНИТЕ КОЛЕЛА ЗА АНГРЕНАЖНИЯ РЕМЪК



- Designed for removal of stubborn or seized ribbed crankshaft and auxiliary pulleys.
- Allows removal without the risk of damaging the pulley.
- · Low profile arms allow use in restricted engine bays.

VS785

145.00 лв

ИНСТРУМЕНТ ЗА ДЕМОНТИРАНЕ НА ПОДЛОЖКИ НА ИНЖЕКТОРИ



- Designed to remove the copper injector seal when it has stuck into the head.
- Adjusts to allow seals with 7.5-10mm internal diameter to be removed.
- Simply drop the tool into the hole left by the injector, tighten the handle and lift out the seal.

VS2054

РАЙБЕРИ ЗА ПОЧИСТВАНЕ ЛЕГЛАТА НА ДИЗЕЛОВИ



ЩЕКА ЗА АУДИ, 600ММ ЩЕКА ЗА МАСЛО ЗА **MERCEDES 88-97Г 930ММ**

· Set of seven diesel injector seat cleaners ream, centring pilot and T-handle

· Used to clean/decarbonise injector seats when changing injectors.

· Helps to avoid blow-back due to poorly seated injectors

VS2055

79.00 лв

ЩЕКА ЗА MERCEDES ЗА МАСЛОТО, АВТОМАТИК, 1996-2005Г.

Designed to measure the engine oil levels on Audi vehicles fitted with electronic oil level systems.

- Can also be used to calibrate the driver's instrument panel.
- Will also check the engine oil level on Audi; A4/A5 3.2 6-cylinder engines.

VS600ED

39.00 лв

ШЕКА ЗА ТРАНСМИСИЯ НА МЕРЦЕДЕС 1200mm

- · Engine dipsticks for checking the oil level.
- Compatible with a large selection of 1988 to 1997 engines in the Mercedes range.
- The dipstick is a service tool, therefore must be removed after the fluid has been checked

VS9301ED

98.00 лв

ЩЕКА ЗА ТРАНСМИСИЯ НА МЕРЦЕДЕС ПРОИЗВЕДЕНИ OT 1996-2006

- · Engine dipstick for checking the oil level
- Compatible with a large selection of 1988 to 2005 engines in the Mercedes range.
- The dipstick is a service tool, therefore must be removed after the fluid has been checked.
- · Transmission dipsticks for checking the fluid level on Mercedes 722.6 automatic transmission, fitted to most Mercedes vehicles from 1996 to 2006.
- · The dipstick is a service tool, therefore must be removed after the fluid has been checked.
- · Made from spring steel with plastic measuring tip for accurately checking the fluid level.

VS1200TD

54.00 лв


accurately checking the fluid level.

VS930ED

98.00 лв

КЛЕЩИ ЗА МАСЛЕНИ ФИЛТРИ 57-120mm





- · Features soft grip handle for added comfort.
- Capacity Ø: 120, 150mm.

22.00 лв

AK6417

75.00 лв

Jaws swivel up to 90° to give access to awkwardly

non-slip grip for added comfort and control.

Chemically blackened finish to prevent corrosion and

positioned oil and fuel filters.

Capacity: Ø57-120mm

AK6408

КАПАЧКИ ЗА ОТВИВАНЕ НА МАСЛЕНИ ФИЛТРИ, 30 БРОЯ



- · Cap type filter wrenches, made from 7 and 16 gauge steel, will withstand up to 115Nm (85lb.ft) of torque.
- · Designed to grip like sockets, thereby minimising the possibility of crushed filters
- · Adaptor allows use with 3/8" or 1/2"Sq drive wrenches.
- · Adjustable oil filter wrench Ø65-120mm

VS7006

249.00 лв

ИНСТРУМЕНТ ЗА ДЕМОНТИРАНЕ НА ДИЗЕЛОВИ ИНЖЕКТОРИ, MERCEDES CDI



- Specially designed for the removal of stubborn diesel injectors fitted on Mercedes CDi engines
- Features injector cap removal socket, security hex key for removing the inner part of the injector and a puller to remove the injector without damaging the cam cover.

VS2056

199.00 лв

 Transmission dipstick for checking the fluid level on Mercedes 722.7, 722.8 and 716.5 automatic transmissions, fitted to most Mercedes vehicles from 1996 to 2006.

- · The dipstick is a service tool, therefore must be removed after the fluid has been checked.
- Made from spring steel with plastic measuring tip for

VS920TD

55.00 лв

КАПАЧКИ ЗА ОТВИВАНЕ НА **МАСЛЕНИ ФИЛТРИ 15 БРОЯ**



Cap type filter wrenches, made from 7 and 16 gauge steel and can withstand up to 115Nm (85lb.ft) of torque.

Electro-black oxide finish for rust protection.

• Use with 3/8" or 1/2"Sq drive wrenches.

VS7003

129.00 лв

КОМПЛЕКТ ЗА ПРОБКИ М15



· Ideal for repairing sump, gearbox and differential drain plug threads.

- · Used to tap the damaged thread slightly oversize, then fit a new drain plug and washer.
- Tap Size: M15 x 1.5mm.

VS615

УРЕД ЗА ЗАКОНТРЯНЕ НА ДИЗЕЛОВИ ДВИГАТЕЛИ С РЕМЪК ПОМПА ДЮЗА VAG 1.2D/1.4D/1.9D TDiPD Pumpe Duse



D) BELT

- For VAG 1.2D, 1.4D & 1.9D TDiPD (Pumpe Duse) engines with Hydraulic Belt Tensioner.
- · Kit includes crankshaft locking tool (round gears), plus camshaft and tensioner locking pins.
- Use with Associated Tool Model No. VSE5752 Tensioner Adjuster Set.

VSE2356

25.00 лв

ИНСТРУМЕНТ ЗА ЗАКОНТРЯНЕ НА ВАЛОВЕ С РЕМЪК "ДИЗЕЛ, 1.2D, 1.6D, 2.0D TDi



• For VAG 1.4D, 1.9D, 2.0D TDiPD (Pumpe Duse) and 1.2D, 1.6D, 2.0D CR (Common Rail) engines with Mechanical (Friction Dampened) Belt Tensioner.

Kit includes crankshaft locking tools (oval and round gears). plus camshaft and tensioner locking pins.

VSE2358

ВИЛИЦА ЗА ЯБЪЛКОВИДНИ БОЛТОВЕ ЗА ТРУДНО ДОСТЪПНИ МЕСТА, 400ММ



- · Drop-forged and heat treated alloy steel.
- · Suitable for applications with awkward or limited access

AK3821

22.00 лв

СКОБИ ЗА СВИВАНЕ на пружини

- · Hardened carbon steel lead screws and cast jaws.
- · Wrap-over coil claws for extra safety.
- · Suitable for use where space under wheel arch is limited.
- · Use with 1/2"Sq drive wrench.
- · 230mm Maximum jaw opening.



КАМЪНИ ЗА РАЗВИВАНЕ **НА ДЖАНТИ, 1/2, 3 БР.**

- Anodized Chrome Molybdenum 1/2"Sq drive sockets.
- Suitable for use with impact tools
- · Features nylon sleeve and insert to prevent damage to alloy wheels.
- · Colour-coded sockets for easy size selection.
- Comprises standard 17, 19 & 21mm sockets.



SX031

54.00 лв

AK3841

59.00 лв

ИНСТРУМЕНТ ЗА ДЕМОНТИРАНЕ НА КОРМИЛЕН



- · Suitable for the fast and easy removal of the steering knuckle
- · Fits racks with hex drive, two flats and round ends
- · Ideal for vehicles with limited access and avoids the need to remove the rack assembly.
- Suitable for steering rack knuckles with a diameter of 33 to

ЕЛЕКТРОНЕН МАНОМЕТЪР ЗА **ИЗМЕРВАНЕ НАЛЯГАНЕТОВ** ГУМИ С ЕЛ ДИСПЕЙ.



- Ergonomically designed lightweight tyre pressure gauge
- Single push button operation with LCD digital display.
- Range: 0-100psi/0-7bar.
- Read-out available in bar, psi, kg/cm² or kPa.
- Auto power-off feature.

TSTPG10

Includes 1 x CR2032 battery.

РАЗВИВАНЕ НА ИГЛАТА НА ГУМАТА

ИНСТРУМЕНТ ЗА



- · Used for removal and installation of the core from a wheel
- Features easy grip handle and ideal for the busy workshop.

· Suitable for motorcycles, cars and commercial vehicles

TST/VCT


7.00 лв

VS4000

43.00 лв

УНИВЕРСАЛЕН ИНСТРУМЕНТ ЗА ФИКСИРАНЕ HA СЪЕДИНИТЕЛ

- · Fits 90% of cars and light vans up to 5tonne gross (not suitable for Minis (A Series) or vehicles with double plate clutches).



Supplied with 2 different sized expanding collets.

25.00 лв **VS010**

КЛЮЧ-КАПАЧКА ЗА МАСЛЕН ФИЛТЪР Ø76ММ X 14



- · Suitable for BMW, Champion, Mercedes, Porsche, VAG.
- · Cap type filter wrench prevents damage to filter housing.
- . Will withstand up to 115Nm (85lb.ft) of torque.

· Low profile design suitable for use in confined areas.

VS7006.V2-06

29.00 лв

ИНСТРУМЕНТ ЗА РЯЗАНЕ на тръби



- · Universal application pipe cutter
- designed for where access is restricted. · Ratchet mechanism allows cutting without having to rotate the tool completely around the tubing.
- · Cuts up to 3mm thick and is suitable for the toughest materials including stainless steel exhaust pipes
- · Ensures fast and problem free cutting of exhaust pipes and limits the risk of hand fatigue and personal injury.

269.00 VS16371

ДЖОБЕН МУЛТИМЕТЪР

- Handy compact unit, small enough to fit in your pocket, making it ideal for basic circuit testing on the move.
- Features flip lid for added screen protection and storage of leads
- Conforms to EN 61010-1 CAT II safety requirements.
- Supplied with test leads.
- Measures
- » AC and DC Voltage
- » DC Current
- » Resistance
- » Audible Continuity



35.00 лв

АКУМУЛАТОРЕН ГАЙКОВЕРТ, 24V, 1/2, MAKC. 441NM

- · Powerful, compact cordless impact wrench.
- Forward and reverse control integrated into housing for ease of use.
- Produces in excess of 441Nm (325lb.ft) of torque - enough to remove wheel nuts.
- Superbly balanced tool with side handle and vibration reducing grip.
- Suitable for workshop applications.
- 24V Ni-Cd battery pack and 1 hour charger.







СР2400 495.00 лв

ЗАРЯДНО ЗА АКУМУЛАТОР, 12АМП, 6/12V, 230V

MM18

- 12Amp, 6V/12V Output.
- Battery Range: 20-120Ah.
- Compact electronic battery charger with pressed steel casing and carry handle.
- Intelligent charge control, selectable 6V or 12V and slow or fast output are perfect for long-term maintenance of batteries on irregularly or seasonally-used vehicles.
- · Suitable for lead acid or low maintenance batteries.
- Reverse polarity protection prevents inadvertent damage to charger.
- LED display confirms charger status.
- Analogue ammeter shows charging current.
- Trickle and fast charge switch.
- Can be connected to a battery for an indefinite period the intelligent circuitry constantly monitoring the voltage and maintaining the charge level at optimum.



AUTOCHARGE12

- ВАРНА, БУЛ. СЛИВНИЦА 189 ТЕЛ.: 052/504 903; 0882/300 264
- ВАРНА, УЛ. ЦАРИБРОД 67, ТЕЛ.: 052/613 530; 0886/262 019, 0887/55 88 01
- ВАРНА, БУЛ. ЦАР ОСВОБОДИТЕЛ 124, ТЕЛ.: 052/759 000, 0889/999 685
- ВАРНА, БУЛ. СВ. СВ. КИРИЛ И МЕТОДИ 59, ТЕЛ. 052/800 582; 0882/639 339
- СОФИЯ, УЛ. РЕЗБАРСКА 9, ТЕЛ.: 02/931 31 14, 832 61 35, 0882/300 233, 0885/888 021
- СОФИЯ, УЛ. ЦАР СИМЕОН 178, ТЕЛ.: 02/931 11 26. 831 01 51. 0882/300 222. 0884/888 545
- 11 26, 831 01 51, 0882/300 222, 0884/888 545 • СОФИЯ, УЛ. Г. С. РАКОВСКИ 27, ТЕЛ.: 02/931 41 88, 931 12 37; 0886/262 010
- СОФИЯ, БУЛ. СЛИВНИЦА 357, ТЕЛ.: 02/927 40 10, 0886/262 011, 0885/888 024
- СОФИЯ, БУЛ. ПРЕЗИДЕНТ ЛИНКЪЛН 16, ТЕЛ.: 02/444 94 00, 0886/26 20 09
- СОФИЯ, БУЛ. ЛОМСКО ШОСЕ 86, ТЕЛ.: 02/936 03 86; 0884/888 584
- · СОФИЯ, КВ. ГОРУБЛЯНЕ, УЛ. П. КРАСОВ 30, ТЕЛ.: 02/973 73 93, 0882/300 215
- ПЛОВДИВ, БУЛ. КОПРИВЩИЦА 19, ТЕЛ.: 032/670 470, 0888/646 468
- ПЛОВДИВ, БУЛ. ИЗТОЧЕН 137, ТЕЛ.: 032/632 707, 0886/262 003
 ПЛОВДИВ, БУЛ. КУКЛЕНСКО ШОСЕ 28,
- ТЕЛ.: 032/640 061, 032/640 761, 0882/300 246
 АСЕНОВГРАД, УЛ. КНЯЗ БОРИС І 19, ТЕЛ.:
- 0331/637 38, 0885/999 037, 0882/300 224 • БЛАГОЕВГРАД, БУЛ. СВ. ДИМИТЪР СОЛУНСКИ 12, ТЕЛ.: 073/887 280, 887 771;

- БУРГАС, УЛ. ИНДУСТРИАЛНА 7, ТЕЛ.: 056/83 03 03, 84 84 10, 0882/300 262, 0888/434 949
- БУРГАС, Ж.К. СЛАВЕЙКОВ, БЛ.72, ТЕЛ.: 056/521 747, 81 52 01, 0882/300 229, 0882/300 205
- БОТЕВГРАД, БУЛ. ЦАР ОСВОБОДИТЕЛ 30, ТЕЛ.: 0723/955 555 0886/588 554
- ВЕЛИКО ТЪРНОВО, БУЛ. БЪЛГАРИЯ 41, ТЕЛ.: 062/600 832, 0887/825 057
- ВИДИН, УЛ. АНТОН СТРАШИМИРОВ 8, ТЕЛ.: 094/600 386; 0882/123 084, 0882/300 235
 ВРАЦА, УЛ. РЕКА ЛЕВА 1A, ТЕЛ.: 092/660
- 513, 0888/789 305 • ГАБРОВО, УЛ. ОРЛОВСКА 87, ТЕЛ.: 066/803
- 233, 0886/434 851 • ГОЦЕ ДЕЛЧЕВ, УЛ. П. ЯВОРОВ 13,
- ТЕЛ.:0751/607 21, 0884/888 582 • ДОБРИЧ, БУЛ. РУСИЯ 19, ТЕЛ.:058/602 080, 0886/666 318
- КАЗАНЛЪК, УЛ. ШИПЧЕНСКА ЕПОПЕЯ 17, ТЕЛ.: 0431/623 87, 0886/900 660
- КЪРДЖАЛИ, УЛ.ТРАКИЯ 8, ТЕЛ.: 0361/677 46, 0885/888 029; 0882/300 239
- 46, 0885/888 029; 0882/300 239 • КЮСТЕНДИЛ, Ж.К. РУМЯНА ВОЙВОДА, БЛ.
- 3, ПАРТЕР, ТЕЛ.:0889/ 755 288
 ЛОВЕЧ, УЛ. ШИПКА 1, ТЕЛ.: 068/602 886, 0887/999 282
- 0887/999 282
 МОНТАНА, БУЛ. ПАРТА 15, ТЕЛ.: 096/314
 250, 0882/300 208
- ПАЗАРДЖИК, БУЛ. СТЕФАН СТАМБОЛОВ 8, ТЕЛ.: 034/444 949, 0885/888 028, 0882/300 242

- ПЕРНИК, УЛ. СОФИЙСКО ШОСЕ 104, ТЕЛ.: 076/605 165, 0884/888 593
- ПЛЕВЕН, УЛ. ГРЕНАДЕРСКА 32, ТЕЛ.: 064/805 645, 0885/888 027, 0884/888 546
- ПЛЕВЕН, УЛ.ГЕОРГИ КОЧЕВ 84, ТЕЛ.: 064/803 523, 0882/123 086
- РАЗГРАД, УЛ. ВАСИЛ ЛЕВСКИ 8, ТЕЛ.: 084/660 189, 0888/788 692, 0885/999 498
- РУСЕ, УЛ. НИКОЛАЕВСКА 40A, ТЕЛ.: 082/835 642, 834 642, 0884/888 583, 0888/574 204
- САНДАНСКИ, УЛ. СТЕФАН СТАМБОЛОВ 35A, ТЕЛ.: 0746/329 85, 0884/888 580
- СЕВЛИЕВО, УЛ. МИТРОПОЛИТ КЛИМЕНТ 11, ТЕЛ.: 0675/35 999, 0885/888 023
- СИЛИСТРА, БУЛ. МАКЕДОНИЯ 106, ТЕЛ.: 086/823 174, 0885/999 662
- СЛИВЕН, КВ. БЪЛГАРКА 71, ОБЕКТ 30, ТЕЛ.: 044/662 991, 0888/789 321, 0888/53 58 85
- СМОЛЯН, УЛ. ПРОЛЕТ 5, ТЕЛ.: 0301/659 95, 0888/150 940, 0885/999 497
- СТАРА ЗАГОРА, ИНДУСТРИАЛНА ЗОНА, ТЕЛ.: 042/621 105, 0887/623 817, 0885/999 079
- ТРОЯН, УЛ. ГЕН. КАРЦОВ 123, ТЕЛ.: 0670/541 48, 0882/288 804
- ТЪРГОВИЩЕ, УЛ. ОТЕЦ ПАИСИЙ 16, ТЕЛ.: 0601/621 23, 0885/552 366
- XACKOBO, УЛ. КОМ 23, ТЕЛ.: 038/663 351, 62 96 46; 0889/510 810, 0886/262 007
- ШУМЕН, БУЛ. ПЛИСКА 4, ТЕЛ.: 054/830 838, 0889/307 411
- ЯМБОЛ, УЛ. Д. БЛАГОЕВ 8, ТЕЛ.:046/663 933, 0889/510 710